

**TRIF GARDEN IO 160****Технические характеристики светодиодного светильника**

Мощность:	18 / 24 / 36 Вт
Цветовая температура:	3000K / 4000K / R / G / B / RGB
Световая отдача:	170 лм/Вт
Световой поток:	3060 / 4080 / 6120 лм
CRI:	>90 Ra
Оптика:	15°, 30°, 45°, 60°, 90°
Питание:	Драйвер постоянного напряжения для светодиодных изделий 24В Драйвер постоянного тока для светодиодных изделий (350мА; 700мА)
Степень защиты:	IP69K
Ударопрочность:	IK10
Температура эксплуатации:	от -60° до +40°
Тип установки:	Отдельно стоящий, на колышке
Высота светильника:	1136мм
Вес	~6,0 кг
Материалы:	Нержавеющая сталь, алюминий АМГ 5(6) и Plexiglas
Кастомизация:	Различные размеры и крепления
Срок службы:	до 100000 часов

## TRIF GARDEN IO 160 Specifications of LED luminaire

Power	18 / 24 / 36 W
Color temperature	3000K / 4000K / R / G / B / RGB
Luminous efficacy	170 lm/W
Luminous flux	3060 / 4080 / 6120 lm
CRI:	>90 Ra
Optics	15°, 30°, 45°, 60°, 90°
Power supply	DC LED driver 24V Constant current LED driver (350 mA; 700mA)
Ingress Protection Rating	IP69K
Impact resistance	IK10
Temperature conditions	from -60° to +40°
Installation type	Ground spike
Luminaire's length	1136 mm
Weight (luminaire + embedded item)	~6,0 kg
Material	Stainless steel, aluminum AMG 5 (6), plexiglas
Customization	different sizes and fastenings
Lifetime	up to 100000 hours

СХЕМА ЭЛЕКТРИЧЕСКАЯ  
ELECTRIC SCHEME

GARDEN IO 160

подключение светодиодного светильника  
С ИСТОЧНИКОМ ПОСТОЯННОГО НАПРЯЖЕНИЯ

GARDEN IO 160  
connection of LED luminaire  
with DC voltage source




GARDEN IO 160

подключение светодиодного светильника  
С ИСТОЧНИКОМ ПОСТОЯННОГО ТОКА

GARDEN IO 160  
connection of LED luminaire  
with constant current source






# GARDEN IO 160

## Общий вид Common view

# TRIF





# GARDEN IO 160

## Подключение Electrical connection


# TRIF

*Заземление на корпус опоры*  
*Protective earth on luminaire's pole*



GARDEN IO 160  
Монтажная схема  
Mounting scheme

TRIF



# GARDEN IO 160

**TRIF**

## Монтажная схема, общий вид Mounting scheme, common view

